# Missouri River Mainstem Reservoir System 2011 Flood Regulation




Missouri River Mainstem Reservoir System



**Bank Stabilization and Navigation Project** 

Sioux City, IA – St. Louis, MO BUILDING STRONG®


### Storage Capacity of Corps Reservoirs





# Missouri River Main Stem Reservoir System

#### **Zones & Allocations of the Total Storage Capacity**



16.3 MAF Flood Storage

### **Congressionally Authorized Purposes**


Flood Risk Reduction
Water Quality Control
Irrigation
Navigation
Hydropower

Water Supply


Recreation

Fish and Wildlife

### Missouri River Mainstem System Storage Zones and Allocations




### **Flood Control Storage**




The shapes are to scale and represent the relative size of the total flood control storage (annual + exclusive) at the six mainstem projects.

Project	Total Flood Control Storage (ac-ft)	% of Total Flood Storage
Fort Peck	3,675,000	22.6
Garrison	5,711,000	35.1
Oahe	4,303,000	26.5
Big Bend	177,000	1.1
Fort Randall	2,294,000	14.1
Gavins Point	108,000	0.7
		6




**BUILDING STRONG®** 

### Mainstem Reservoir Levels 18 June 2011




7

## **Runoff Components**



Rainfall



March and April

May, June and July


March through October

2011 Forecast\* = 54.6 MAF

Highest runoff since 1898


Previous Record was 49.0 MAF in 1997


### Missouri River Mainstem System Annual Runoff above Sioux City, IA



### Plains Snowpack

25 February 2011








#### Missouri River Basin Mountain Snowpack Water Content 2010-2011


#### **Total above Fort Peck**

#### **Total Fort Peck to Garrison**






#### Inches of Water Equivalent



The Missouri River Basin mountain snowpack normally peaks near April 15. The mountain snowpack in both the "Total above Fort Peck" and the "Total Fort Peck to Garrison" reaches appears to have peaked on May 2 at 141 percent and 136 percent of the normal April 15 peak, respectively. The current mountain snowpack, as of June 17, is 67 percent and 71 percent of the normal April 15 peak in the "Total above Fort Peck" and the "Total Fort Peck to Garrison" reaches, respectively.

# May 2011 Precipitation


Missouri Basin RFC Pleasant Hill, MO: May, 2011 Monthly Observed Precipitation Valid at 6/1/2011 1200 UTC- Created 6/2/11 17:40 UTC






# Month-to-date June 2011 Precipitation

NWS Central Region: Current Month to Date Observed Precipitation Valid at 6/18/2011 1200 UTC- Created 6/18/11 23:42 UTC






# Missouri River Runoff above Sioux City 2011 Actual/Forecasted versus Normal




### Missouri River Basin – May 2011 Runoff



## Missouri River Mainstem Reservoir May 2011 Runoff

	<u>2011</u>	Previous Record
Fort Peck	2.9 MAF	2.6 MAF(1975)
Garrison	4.4 MAF	2.8 MAF(1978)
Fort Peck and Garrison	7.3 MAF	6.7 MAF(1952)
Total Above Sioux City	10.5 MAF	7.2 MAF(1995)

## Missouri River Mainstem Reservoir System Master Manual



- First published in 1960
- Updated in 1975 and 1979
- Master Manual Review and Update began in November 1989 in response to late 1980's / early 1990's drought
- Amended Biological Opinion received from USFWS in December 2003
- Manual was revised for drought conservation in March 2004
- Again revised in March 2006 for Gavins Point spring pulse
- Annual Operating Plan (AOP) developed annually in accordance with Master Manual

### 2011 Mainstem System Regulation

- Mainstem Reservoir System has been operated in accordance with the Master Manual
- Release schedules have been coordinated with LRD and MVD, but we do not have authority to regulate the mainstem reservoir system solely for the benefit of the Mississippi River
- No operational decisions have been driven by ESA (nesting least terns and piping plovers); reservoirs have been operating for flood risk reduction.



### 2011 Mainstem System Regulation

- Full flood control capacity of the mainstem reservoir system was available at the start of the 2011 runoff season
  - ► 2010 was 3<sup>rd</sup> highest runoff year on record
  - ► All flood water was evacuated prior to start of runoff
- Until rain events in May, there was no need to evacuate water at historic levels
  - ► April 1 runoff forecast = 33.8 MAF; Gavins Point peak releases = 39 to 45 kcfs
  - ► May 1 runoff forecast = 44.0 MAF; Gavins Point peak releases = 57.5 kcfs
  - ▶ June 1 runoff forecast = 54.6 MAF; Gavins Point peak releases = 150 kcfs
- High releases will continue through at least mid-August to evacuate stored flood water
  - ► Goal is to evacuate reservoirs to provide time for damage assessment and repair prior to next year's runoff season

# Background slides

Photos of 6 mainstem dams













